

Attorney Docket No: P0547/7051 RJK

#### N THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s):

Altshuler, et al.

Serial No:

09/769,960

Filing Date:

January 25, 2001

For:

METHOD AND APPARATUS FOR MEDICAL TREATMENT

UTILIZING LONG DURATION ELECTROMAGNETIC

**RADIATION** 

Examiner:

Not Yet Assigned

Art Unit:

3737

## CERTIFICATE OF MAILING UNDER 37 C.F.R. §1.8(a)

The undersigned hereby certifies that this document is being placed in the United States mail with first-class postage attached, addressed to Commissioner for Patents, Washington, D.C. 20231, on the 7th day of Sept. 2001.

Ronald J. Kransdorf, Reg. No. 20,004

Attn: Official Draftsperson Commissioner for Patents Washington, DC 20231

# LETTER TO OFFICIAL DRAFTSPERSON

Sir:

Subject to the approval of the Examiner in this case, enclosed for filing are eighteen (18) sheets of FORMAL DRAWINGS, Figures 1, 2, 3a, 3b, 3c, 3d, 4a, 4b, 4c, 5a, 5b, 5c, 6a, 6b, 6c, 7, 8, 9a, 9b, 9c, 9d, 10a, 10b, 10c, 11, 12, 13a and 13b, for the above-referenced patent application.

The Commissioner is hereby authorized to charge any fees which may be required to Deposit Account No. 23-2825. A duplicate of this sheet is enclosed.

Respectfully submitted,

Altshuler, et al., Applicant

By:

Ronald J. Kransdorf, Reg. No. 20,004

Wolf, Greenfield & Sacks, P.C.

600 Atlantic Avenue

Boston, Massachusetts 02210 Telephone: (617) 720-3500

**x9/10/01** 560066.1

Date: 09/07/01

Docket No.: P0547/7051 RJK

# ATTORNEY TOOKS NO. P0547/7051 RJK THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicate Mark Altshuler, et al.
Serial No: 09/769,960
Filed: January 25, 2001

For: METHOD AND APPA

METHOD AND APPARATUS FOR MEDICAL TREATMENT UTILIZING

LONG DURATION ELECTROMAGNETIC RADIATION

Examiner:

Not Yet Assigned

Art Unit:

3737

### CERTIFICATE OF MAILING UNDER 37 C.F.R. §1.8(a)

The undersigned hereby certifies that this document is being placed in the United States mail with first-class dostage attached, addressed to Commissioner for Patents, Washington, D.C. 20231, on the 7th day of September 2001

Ronald J. Kransdorf, Reg. No. 20,004

Attn: Official Draftsperson

COMMISSIONER FOR PATENTS WASHINGTON, D.C. 20231

Sir:

Transmitted herewith is/are the following document(s):

[X] Copy of Notice of Incomplete Reply (Nonprovisional)

[X] 18 Sheets of Formal Drawings (Figs. 1-13)

[X] Two-Month Extension Request

[X] Return Receipt Postcard

If the enclosed papers are considered incomplete, the Mail Room and/or the Application Branch is respectfully requested to contact the undersigned at (617) 720-3500, Boston, Massachusetts.

A check in the amount of \$ 195.00 is enclosed to cover the fee for the second and third extensions. If the fee is insufficient, the balance may be charged to the account of the undersigned, Deposit Account No. 23/2825. A duplicate of this sheet is enclosed.

Respectfully submitted,

Ronald J. Kransdorf Reg. No. 20,004

Wolf, Greenfield & Sacks, P.C.

600 Atlantic Avenue Boston, MA 02210-2211

(617) 720-3500

Docket No. P0547/7051 RJK 09/07/01 **x09/10/01** 

560091.1







COMMISSIONER FOR PATENTS UNITED STATES PATENT AND TRADEMARK OFFICE WASHINGTON, D.C. 20231

APPLICATION NUMBER

FILING/RECEIPT DATE

FIRST NAMED APPLICANT

www.uspto.gov ATTORNEY DOCKET NUMBER

09/769,960

01/25/2001

Gregory B. Altshuler

P0547/7051 RJK

**CONFIRMATION NO. 5919** 

**FORMALITIES LETTER** 

OC000000006493380\*

Ronald J. Kransdorf Wolf, Greenfield & Sacks, P.C. 600 Atlantic Avenue Boston, MA 02210

m

ű 1

Date Mailed: 08/29/2001

## NOTICE OF INCOMPLETE REPLY (NONPROVISIONAL)

## Filing Date Granted

The U.S. Patent and Trademark Office has received your reply on to the Notice mailed and it has been entered into the nonprovisional application. The reply, however, doesnot include the following items required in the Notice.

The period of reply remains as set forth in the Notice. You may, however, obtain EXTENSIONS OF TIME under the provisions of 37 CFR 1.136 (a)accompanied by the appropriate fee (37 CFR 1.17(a)).

A complete reply must be timely filed to prevent ABANDONMENT of the above-identified application.

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(q)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

A copy of this notice MUST be returned with the reply.

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE